05.05.2023 | 0003 01.01.2017 | 0001 05.05.2023

Cable lubricant SPRAY 400 ml | Item no.: 20523



SAFETY DATA SHEET

ACCORDING TO ANNEX II TO REACH - REGULATION 2020/878 AND TO ANNEX II TO UK REACH

SECTION 1.

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Cable lubricant Spray 400 ml - Item number 20523

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use: Silicone oil to reduce the friction during electrical cable installation

1.3 Details of the supplier of the safety data sheet

RUNPOTEC GmbH | Irlachstraße 31 | A-5303 Thalgau Tel.: +43-6235-20335 | Fax: +43-6235-20335-35 office@runpotec.com | www.runpotec.com

1.4 Emergency telephone number

Emergeny information services / public advisory office:

AUSTRIA: Veraiftungsinformationszentrale der Gesundheit Österreich GmbH, Wien.

NOTRUF Tel.: 01 406 43 43 (von außerhalb Österreichs Tel.: +43 1406 43 43)

Switzerland: Tox Info Suisse, Freiestrasse 16, CH-8032 Zürich. Nationale 24h-Notfallnummer: 145

SECTION 2. HA7ARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Aerosol category 3 H229 Pressurised container: may burst if heated

2.2 Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements

Hazard pictogramms: --

Signal words: Warning

Hazard statements:

H229 Pressurised container: may burst if heated

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P251 Do not pierce or burn, even after use

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding

50°C / 122°F

2.3 Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%. The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

05.05.2023 | 0003 01.01.2017 | 0001 05.05.2023

Cable lubricant SPRAY 400 ml | Item no.: 20523



SECTION 3. Composition/information on ingredients

3.1 Mixtures

Contains:

Identification x=Conz. % Classification 1272/2008 (CLP)

Carbon Dioxide

Index - $4 \le x < 4.5$ Substance with a community workplace exposure limit.

EC 204-696-9 CAS 124-38-9

The full wording of hazard (H) phrases is given in section 16 of the sheet.

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants.

Percentage of propellants: 4,10 %

SECTION 4. First aid measures

4.1 Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2 Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3 Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1 Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2 Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

5.3 Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).





SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2 Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3 Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4 Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

7.2 Conditions for safe storage, including any incompatibilities

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F , away from any combustion sources.

Storage class TRGS 510 (Germany): 2B

7.3 Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Regulatory References:

DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις
		των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας
		2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που
		συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την
		εργασία``»
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske
		faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om
		tiltaks- og grenseverdier), 21. august 2018 nr. 1255
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3. eerste lid, en 4.16. eerste lid, van het Arbeidsomstandighedenbesluit

05.05.2023 | 0003 01.01.2017 | 0001 05.05.2023



Cable lubricant SPRAY 400 ml | Item no.: 20523

SWE Sverige Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska

gränsvärden (AFS 2018:1)

SVN Slovenija Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri

delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19)

GBR UK EH40/2005 Workplace exposure limits (Fourth Edition 2020)

EU OEL EU Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU)

2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC;

Directive 91/322/EEC.

TLV-ACGIH ACGIH 2021

CARBON DIO	XID							
Threshold Limit Value								
TYP	COUNTRY	TWA / 8 St		STEL/15 min		Remarks / Observations		
		mg/m3	ppm	mg/m3	ppm			
AGW	DEU	9100	5000	18200	10000			
MAK	DEU	9100	5000	18200	10000			
TLV	DNK	9000	5000			Е		
VLA	ESP	9150	5000					
VLEP	FRA	9000	5000					
TLV	GRC	9000	5000	54000	5000			
VLEP	ITA	9000	5000					
TLV	NOR	9000	5000					
TGG	NLD	9000						
NGV/KGV	SWE	9000	5000	18000 (C)	10000 (C)			
MV	SVN	9000	5000					
WEL	GBR	9150	5000	27400	15000			
OEL	EU	9000	5000					
TLV-ACGIH		9000	5000	54000	30000			

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction

8.2 Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

None required.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type A filter combined with a type P filter should be worn (see standard EN 14387). Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

05.05.2023 | 0003 01.01.2017 | 0001 05.05.2023



Cable lubricant SPRAY 400 ml | Item no.: 20523

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Properties	Value
Appearance	aerosol
Colour	colourless
Odour	odourless
Melting point / freezing point	< -10 °C
Initial boiling point	> 150 °C
Flammability	not available
Lower explosive limit	not available
Upper explosive limit	not available
Flash point	> 100 °C
Auto-ignition temperature	not available
Decomposition temperature	not available
рН	not available
Kinematic viscosity	not available
Solubility	not available
Partition coefficient: n-octanol/water	not available
Vapour pressure	0,01 hPa
Density and/or relative density	0,9
Relative vapour density	not available
Particle characteristics	not applicable

9.2 Other information

9.2.1 Information with regard to physical hazard classes Information not available 9.2.2 Other safety characteristics Total solids (250°C / 482°F): 0 %

SECTION 10 Stability and reactivity

10.1 Reactivity

There are no particular risks of reaction with other substances in normal conditions of use

10.2 Chemical stability

The product is stable in normal conditions of use and storage

10.3 Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4 Conditions to avoid

Avoid overheating.

10.5 Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material

10.6 Hazardous decomposition products

Information not available

05.05.2023 | 0003 01.01.2017 | 0001 05.05.2023

Cable lubricant SPRAY 400 ml | Item no.: 20523



SECTION 11 Toxicological information

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

METABOLISM, TOXICOKINETICS, MECHANISM OF ACTION AND OTHER INFORMATION Information not available

INFORMATION ON LIKELY ROUTES OF EXPOSURE

Information not available

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE Information not available

INTERACTIVE EFFECTS
Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

ATE (Dermal) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2 Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

05.05.2023 | 0003 01.01.2017 | 0001 05.05.2023

Cable lubricant SPRAY 400 ml | Item no.: 20523



SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1 Toxicity

Information not available

12.2 Persistence and degradability

Information not available

12.3 Bioaccumulative potential

Information not available

12.4 Mobility in soil

Information not available

12.5 Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6 Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7 Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA: 1950

14.2 UN proper shipping name

ADR/RID: AEROSOLS IMDG: AEROSOLS

IATA: AEROSOLS, NON-FLAMMABLE

14.3 Transport hazard class(es)

ADR / RID: Class 2 Label: 2.2

IMDG: Class 2 Label: 2.2

IATA: Class 2 Label: 2.2

14.4 Packing group

ADR/RID, IMDG, IATA

05.05.2023 | 0003 01.01.2017 | 0001 05.05.2023



Cable lubricant SPRAY 400 ml Item no.: 20523

14.5 Environmental hazards

ADR / RID: No IMDG: No IATA: No

14.6 Special precautions for user

ADR /RID:	HIN - Kemler:	Limited Quantities: 1 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-D, S-U	Limited Quantities: 1 L	
IATA:	Cargo	Maximum quantity: 150 kg	Packaging instructions: 203
	Pass.	Maximum quantity: 75 kg	Packaging instructions: 203
	Special provision	A98, A145, A167, A802	

14.7 Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SEVESO CATEGORY - DIRECTIVE 2012/18/EC:

None

RESTRICTIONS RELATING TO THE PRODUCT OR CONTAINED SUBSTANCES PURSUANT TO ANNEX XVII TO EC **REGULATION 1907/2006**

Contained substance

Point 75

REGULATION (EU) 2019/1148 - ON THE MARKETING AND USE OF EXPLOSIVES PRECURSORS Not applicable

SUBSTANCES IN CANDIDATE LIST (ART. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV REACH)

None

SUBSTANCES SUBJECT TO EXPORTATION REPORTING PURSUANT TO REGULATION (EU) 649/2012

None

SUBSTANCES SUBJECT TO THE ROTTERDAM CONVENTION

None

SUBSTANCES SUBJECT TO THE STOCKHOLM CONVENTION

None

HEALTHCARE CONTROLS

Information not available

GERMAN REGULATION ON THE CLASSIFICATION OF SUBSTANCES HAZARDOUS TO WATER (AWSV, FROM 18. APRIL 2017) WGK 1: Low hazard to waters

15.2 Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

05.05.2023 | 0003 01.01.2017 | 0001 05.05.2023

Cable lubricant SPRAY 400 ml | Item no.: 20523



SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Aerosol 3 Aerosol, category 3

H229 Pressurised container: may burst if heated.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- ATE: Acute Toxicity Estimate

- CAS: Chemical Abstract Service Number

CE50: Effective concentration (required to induce a 50% effect)
 CE: Identifier in ESIS (European archive of existing substances)

CLP: Regulation (EC) 1272/2008
 DNEL: Derived No Effect Level
 Ems: Emergency Schedule

GHS: Globally Harmonized System of classification and labeling of chemicals
 IATA DGR: International Air Transport Association Dangerous Goods Regulation

- IC50: Immobilization Concentration 50 %

- IMDG: International Maritime Code for dangerous goods

- IMO: International Maritime Organization

- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50 %

- LD50: Lethal dose 50 %

- OEL: Occupational Exposure Level

- PBT: Persistent bioaccumulative and toxic as REACH Regulation

- PEC: Predicted environmental Concentration

- PEL: Predicted exposure level

- PNEC: Predicted no effect concentration

- REACH: Regulation (EC) 1907/2006

- RID: Regulation concerning the international transport of dangerous goods by train

- TLV: Threshold Limit Value

- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.

- TWA: Time-weighted average exposure limit

- TWA STEL: Short-term exposure limit- VOC: Volatile organic Compounds

- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

Safety Data Sheet according to Annex II to REACH - Regulation 2020/878

Revised on | Version: Replace version dated | Version: Valid from 05.05.2023 | 0003 01.01.2017 | 0001 05.05.2023

Valid from : 05.05.2023

Cable lubricant SPRAY 400 ml | Item no.: 20523



- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.